AUTHOR INDEX
1987 Volume 21

A

Abete P *see* Ferrara N *et al*
Agarwal J B *see* Klein L W *et al*
Akaishi M *see* Klein L W *et al*
Ameli M A Sadr- *see* Sadr-Ameli M A
Amian A *see* Bailey L E *et al*
Amlie J P *see* Endresen K *et al*
Amoore J N Ventricular interdependence and the transient response of the left ventricle to inspiration: a model study, 407
Anand I S *see* Wanless R B *et al*
Anderson J C *see* Whittle M A *et al*
Angelini G D, Breckenridge I M, Psaila J V, Williams H M, Henderson A H, and Newby A C Preparation of human saphenous vein for coronary artery bypass grafting impairs its capacity to produce prostacyclin, 28
—— Passani S L, Breckenridge I M, and Newby A C Nature and pressure dependence of damage induced by distension of human saphenous vein coronary artery bypass grafts, 902
Anselone C G *see* McFalls E O *et al*
Aratari C *see* Lattanzi F *et al*
Archer S, Nelson D, Gebhard R, Levine A S, Prigge W, and Weir E K Effects of dietary fish oil on lung phospholipid fatty acid composition and intrinsic pulmonary vascular reactivity, 928
Armstrong M L *see* Ghosh S, *et al*
Asakawa T *see* Kawasaki T *et al*
Ashikawa K *see* Nishioka O *et al*
Askenase A D *see* Klein L W *et al*
Aspinall J *see* Auld A M *et al*
Auld A M, Aspinall J, and Barritt G J Effects of verapamil, dibutyryl cyclic AMP, and extracellular calcium on intracellular free calcium concentrations in myocytes isolated from rat ventricles, 772
Aumont M-C *see* Ray A *et al*
Aussedat J *see* Ray A *et al*
Aviles F F *see* Garcia-Dorado D *et al*
Awata N, Azuma J, Hamaguchi T, Tanaka Y, Ohta H, Takihara K, Harada H, Sawamura A, *and* Kishimoto S Acute haemodynamic effect of taurine on hearts in vivo with normal and depressed myocardial function, 241; correction 702
Azuma J *see* Awata N *et al*

B

Babbs C F *see* Badylak S F *et al*
Bache R J, Quanbeck D, Homans D C, *and* Dai X-Z Effects of nifedipine on coronary reactive and exercise induced hyperaemia, 766
Badylak S F, Simmons A, Turek J, and Babbs C F Protection from reperfusion injury in the isolated rat heart by post-ischaemic deferoxamine and oxypurinol administration, 500
Baez S *see* Conway R S *et al*
Bailey L E, Carlos H, Amian A, and Moon K E T Oxidative metabolism in guinea pig ventricular myocytes protected from proteolytic enzyme activity, 481
Balashov S A *see* Melkumyants A M *et al*
Barber R W *see* Ormerod O J M *et al*
Barer G R *see* Wach R *et al*
Barman S A, Olson M D, and Saari J T Effect of histamine on cardiac sarcolemmal calcium binding as indicated by use of ionic lanthanum, 569
—— Olson M D, and Saari J T Histamine induced alteration of calcium binding to microvascular endothelium as indicated by use of ionic lanthanum, 576
Barnden L R *see* Charnock J S *et al*
Barradas M A *see* Greenbaum R A *et al*
Barritt G J *see* Auld A M *et al*
Bayliss J *see* Kenny R A *et al*
Beau S *see* Nattel S *et al*
Beck E *see* Rösen R *et al*
Becker L C *see* Melin J A *et al*
Becker R C, DiBello P M, and Lucas F V Bacterial tissue tropism: an in vitro model for infective endocarditis, 813
Bee D *see* Wach R *et al*
Belhassen B, Ilia R, Greenspan A M, and Horowitz L N Autonomic modulation of aminophylline influence on the electrophysiological effects of adenosine and adenosine triphosphate in the canine heart, 151
Benditt D G *see* Limas C J *et al*
Bercovici J *see* Ray A *et al*
Berkenboom G, Fontaine J, Desmet J-M, and Degre S Comparison of the effect of beta adrenergic antagonists with different ancillary properties on isolated canine and human coronary arteries, 299
Bertrand J P *see* Bril A *et al*
Bestetti R B, Ramos C P, Figuerêdo-Silva J, Sales-Neto V N, and Oliveira J S M Ability of the electrocardiogram to detect myocardial lesions in isoproterenol induced rat cardiomyopathy, 916
Betz R *see* Hoffmeister H M *et al*
Bing R J *see* Hartmann A *et al*
Blevins L S *see* Williams C A *et al*
Bloys Van Treslong C H F *see* Van Der Laarse A *et al*
Bodard H *see* Farahifar D *et al*
Bojanowski L M R, Timmis A D, Najm Y C and Gosling R G Pulsed Doppler ultrasound compared with thermodilution for monitoring cardiac output responses to changing left ventricular function, 260
Bolli R *see* O'Neill P G *et al*
Bomfim V *see* Sollevi A *et al*
Bonaduce D *see* Ferrara N *et al*
Bowditch J *see* Dow J W *et al*
Breckenridge I M *see* Angelini G D *et al*
Bril A, Rochette L, Bertrand J P, and Gautier P Electrophysiological effects of some antidepressant drugs on canine cardiac Purkinje fibres, 783
Bristow J D *see* McFalls E O *et al*
Brown A K *see* Dow J W *et al*
Brown J *see* Peters A M *et al*
Brown M A, Norris R M, Takayama M, and White H D Post-systolic shortening: a marker of potential for early recovery of acutely ischaemic myocardium in the dog, 703
Burkard W *see* Clozel J-P *et al*
Butcher R G, Drake-Holland A J, Wanless R B, Papadoyannis D E, and Noble M I M Effect of lack of noradrenaline on myocardial oxygen consumption in denervated dog hearts, 515
Buttfield I H *see* Charnock J S *et al*

C

Cai N, Dohnal M, and Olsson S B Methodological aspects of the use of heart rate stratified RR interval histograms in the analysis of atrioventricular conduction during atrial fibrillation, 455
Campbell S M *see* Hosenpud J D *et al*
Canonico V *see* Ferrara N *et al*
Carlos H *see* Bailey L E *et al*
Cassot F *see* Farahifar D *et al*
Cavallazzi A *see* Ferrari A U *et al*
Chappell S P, Lewis M J, and Henderson A H Effect of lipid feeding on endothelium dependent relaxation in rabbit aortic preparations, 34
Charlat M L *see* O'Neill P G *et al*

Charnock J S, McLennan P L, McIntosh G H, Barnden L R, and Buttfield I H Radionuclide angiographic study of the influence of dietary lipid supplements on cardiac function in the marmoset (*Callithrix jacchus*), 369
Cheng F H *see* Ghosh S *et al*
Chiba S *see* Furukawa Y *et al*
Chrysos D N *see* Sideris D A *et al*
Clozel J-P, Holck M, Osterrieder W, Burkard W, and Da Prada M Effects of chronic myocardial infarction on responsiveness to isoprenaline and the state of myocardial beta adrenoceptors in rats, 688
Coffelt J, Wikman- *see* Wikman-Coffelt J
Cohen M V and Steingart R M Lack of effect of prior training on subsequent ischaemic and infarcting myocardium and collateral development in dogs with normal hearts, 269
Conway R S, Factor S M, Sonnenblick E H, and Baez S Microvascular reactivity of the myopathic Syrian hamster cremaster muscle, 796
Cooper G and Tomanek R J Model dependent behaviour of pressure hypertrophied myocardium, 342
Cordell A R *see* Vinten-Johansen J *et al*
Cornelisse C J *see* Vliegen H W *et al*
Crake T, Kirby M S, and Poole-Wilson P A Potassium efflux from the myocardium during hypoxia: role of lactate ions, 886
Crystal G J *see* Vinten-Johansen J *et al*

D

Da Prada M *see* Clozel J-P *et al*
Daffonchio A *see* Ferrari A U *et al*
Dai X-Z *see* Bache R J *et al*
Dandona P *see* Greenbaum R A *et al*
Dausch W *see* Rösen R *et al*
De Jonge-Stinis J T *see* Lamers J M J *et al*
Decker R S *see* Henney A M and Decker R S
Degre S *see* Berkenboom G *et al*
Der Laarse A Van *see* Van Der Laarse A
Desmet J-M *see* Berkenboom G *et al*
DeWitt D F *see* Heller L J *et al*
Dilly S G and Lab M J Changes in monophasic action potential duration during the first hour of regional myocardial ischaemia in the anaesthetised pig, 908
Distante A *see* Lattanzi F *et al*
Dohnal M *see* Cai N *et al*
Dorado D Garcia- *see* Garcia-Dorado D
Dow J W, Bowditch J, Nigdikar S V, and Brown A K Salvage mechanisms for regeneration of adenosine triphosphate in rat cardiac myocytes, 188
Downey H F *see* Watanabe N *et al*
Doyle R L, Foëx P, Ryder W A, and Jones L A Differences in ischaemic dysfunction after gradual and abrupt coronary occlusion: effects on isolvolumic relaxation, 507
Drake-Holland A J, Pugh S, Noble M I M, and Mills C Problem of measuring the positive inotropic property of a vasodilating drug: an illustration using felodipine, 631
—— *see also* Butcher R G *et al*
DtBello P M *see* Becker R C *et al*
Dubelaar M-L *see* Hülsmann W C and Dubelaar M-L

E

Edwards D H *see* Griffith T M *et al*
Eide I *see* Ellingsen Ø *et al*
Einzig S *see* Seaberg D *et al*
Elizaga J *see* Garcia-Darado D *et al*
Ellingsen Ø, Vengen Ø A, Kjeldsen S E, Eide I, and Ilebekk A Myocardial potassium uptake and catecholamine release during cardiac sympathetic nerve stimulation, 892
Emery C J *see* Wach R *et al*
Endresen K, Amlie J P, Forfang K, Simonsen S, and Jensen Ø Monophasic action potentials in patients with coronary artery disease: reproducibility and electrical restitution and conduction at different stimulation rates, 696
Eulderink F *see* Vliegen H W *et al*
Evans T R *see* Greenbaum R A *et al*

F

Factor S M *see* Conway R S *et al*
Farahifar D, Bodard H, Cassot F, and Pelissier R Velocity field of a Björk-Shiley valve prosthesis: influence of the disc orientation, 90
Faugère G *see* Sadr-Ameli M A *et al*
Ferrara N, Bonaduce D, Abete P, Leosco D, Longobardi G, Canonico V, and Rengo F Role of increased cholinergic activity in reperfusion induced ventricular arrhythmias, 279
Ferrari A U, Cavallazzi A, Gregorini L, Perondi R, Daffonchio A, and Mancia G. Effects of altering the interval between the stimulus and the reflex response in the analysis of the baroreceptor control of the sinus and atrioventricular nodes in man, 385
Fiechtner H *see* Hoffmeister H M *et al*
Figuerêdo-Silva J *see* Bestetti R B *et al*
Filho E C L *see* Gallo L *et al*
Filho J M *see* Gallo L *et al*
Foëx P *see* Doyle R L *et al*
Fontaine J *see* Berkenboom G *et al*
Foreman D W and Fulkerson P K Crystallochemical characteristics of the inorganic phase of human calcific aortic valvar stenosis, 761
Forfang K *see* Endresen K *et al*
Forfar J C and Riemersma R A Metabolic modulation of cardiac neurosympathetic activity in vivo: effects of potassium and adenosine, 821
Franklin D *see* Fujita M *et al*
Freeman G L, Little W C, and Haywood J R Reduction of left ventricular mass in normal rats by captopril, 323
Friedman D B, Musch T I, Williams R S and Ordway G A beta adrenergic blockade with propranolol and atenolol in the exercising dog: evidence for beta$_2$ adrenoceptors in the sino-atrial node, 124
Fujii T *see* Kohno M *et al*
Fujita M, McKown D P, McKown M D. Hartley J W, and Franklin D Evaluation of coronary collateral development by regional myocardial function and reactive hyperaemia, 377
Fulkerson P F *see* Foreman D W and Fulkerson P K
Furlan R *see* Pagani M *et al*
Furukawa Y, Ogiwara Y, Saegusa K, Takeda M, Tsubota H, Tada A, Zenda H, and Chiba S Time dependent impairment of vagally mediated inhibition of noradrenaline release in the dog heart, 717
Furuse T *see* Kotake H *et al*

G

Galiñanes M *see* Garcia-Dorado D *et al*
Gallo L, Filho J M, Maciel B C, Neto J A M, Martins L E B, and Filho E C L Functional evaluation of sympathetic and parasympathetic system in Chagas' disease using dynamic exercise, 922
Gang E S. Peter T, Karagueuzian H S, Mandel W J, and Meesmann M Decline in ventricular fibrillation threshold after successive premature extrastimuli: a possible explanation for the induction of ventricular fibrillation during programmed stimulation with multiple extrastimuli, 790
Garcia-Dorado A *see* Garcia-Dorado D *et al*
Garcia-Dorado D, Théroux P, Elizaga J, Galiñanes M, Solares J, Riesgo M, Gomez M J, Garcia-Dorado A, and Aviles F F Myocardial reperfusion in the pig heart model: infarct size and duration of coronary occlusion, 537

GARNER H E *see* RUGH K S *et al*
GAUTIER P *see* BRIL A *et al*
GEBHARD R *see* ARCHER S *et al*
GEWIRTZ H, OLSSON R A, and MOST A S Role of adenosine in mediating the coronary vasodilative response to acute hypoxia, 81
GHOSH S, ARMSTRONG M L, MEGAN M B, and CHENG F H Arterial uptake indices of low density lipoproteins after fatty streak formation in Cynomolgus monkeys, 14
GILL R W *see* MANOHARAN A *et al*
GLOWER D D, SPRATT J A, NEWTON J R, WOLFE J A, RANKIN J S, and SWAIN J L Dissociation between early recovery of regional function and purine nucleotide content in postischaemic myocardium in the conscious dog, 328
GOLDENBERG I F *see* LIMAS C J *et al*
GOLF S and MYHRE E Hypertrophic cardiomyopathy: correspondence reply, 470
GOMEZ M J *see* GARCIA-DORADO D *et al*
GOSLING R G *see* BOJANOWSKI L M R *et al*
GREENBAUM R A, BARRADAS M A, MIKHAILIDIS D P, JEREMY J Y, EVANS T R, and DANDONA P Effect of heparin and contrast medium on platelet function during routine cardiac catheterisation, 878
GREENSPAN A M *see* BELHASSEN B *et al*
GREGORINI L *see* FERRARI A U *et al*
GRIFFITH T M, EDWARDS D H, and HENDERSON A H Unstimulated release of endothelium derived relaxing factor is independent of mitochondrial ATP generation, 565
GRIFFITHS K A *see* MANOHARAN A *et al*
GRØTTUM P, SEDERHOLM M, and KJEKSHUS J K Quantitative and temporal relation between the release of myoglobin and creatine kinase and the evolution of vectorcardiographic changes during acute myocardial infarction in man, 652
GUNNES S *see* YTREHUS K *et al*
GUZ A *see* INNES J A *et al*
GUZZETTI S *see* PAGANI M *et al*

H

HAENNEL R G *see* HETHERINGTON M *et al*
HALE S L and KLONER R A Effect of early coronary artery reperfusion on infarct development in a model of low collateral flow, 668
HALL S M and HAWORTH S G Conducting pulmonary arteries: structural adaptation to extrauterine life in the pig, 208
HAMAGUCHI T *see* AWATA N *et al*
HANCK D A *see* JEWELL B R and HANCK D A
HARADA H *see* AWATA N *et al*
HARRIS P *see* WANLESS R B *et al*
HART M V *see* HOSENPUD J D *et al*
HARTLEY C J *see* O'NEILL P G *et al*
HARTLEY J W *see* FUJITA M *et al*
HARTMANN A, SAEED M, SÜTSCH G, and BING R J Effect of a new phosphodiesterase type III inhibitor as a coronary vasodilator and positive inotropic agent, 593
HARTNELL G G *see* PETERS A M *et al*
HASEGAWA J *see* KOTAKE H *et al*
HASHIMOTO H *see* KOJIMA T *et al*
HASKELL C *see* PETERS A M *et al*
HASLETON P S *see* WHITTLE M A *et al*
HATFIELD D G *see* RUGH K S *et al*
HATTORI R *see* YUI Y *et al*
HAWORTH S G *see* HALL S M and HAWORTH S G
HAYWOOD J R *see* FREEMAN G L *et al*
HEARSE D J *see* MAXWELL M P *et al*
HELFANT R H *see* KLEIN L W *et al*
HELLER L J, DEWITT D F, and SPARKS H V Transient increase in release of adenosine during rapid cardiac pacing; transient effects on overdrive suppression of ventricular automaticity, 391
HENDERSON A H *see* ANGELINI G D *et al*
CHAPPELL S P *et al*
GRIFFITH T M *et al*
HENDERSON S *see* TUBAU J F *et al*
HENNEY A M and DECKER R S Production of a factor by cultured human heart valves that is immunologically related to interleukin 1, 21
HENNING R J, MASUDA Y, YANG T, and LEVY M N Rate of acetylcholine hydrolysis affects the phase dependency of cardiac responses to vagal stimulation, 169
HENZE A *see* JANSSON E *et al*
HETHERINGTON M, TEO K K, HAENNEL R G, ROSSALL R E, and KAPPAGODA T Response to upright exercise after myocardial infarction, 399
HIRAI T *see* KAWASAKI T *et al*
HIRANO Y *see* SAWANOBORI T, *et al*
HIRAOKA M *see* SAWANOBORI T *et al*
HIRO T *see* KOHNO M *et al*
HISANO K *see* NABEYAMA S *et al*
HISATOME I *see* KOTAKE H *et al*
HOFFMEISTER H M, BETZ R, FIECHTNER H, and SEIPEL L Myocardial and circulatory effects of inosine, 65
HOLCK M *see* CLOZEL J-P *et al*
HOLLAND A J DRAKE- *see* DRAKE-HOLLAND A J
HOMANS D C *see* BACHE R J *et al*
HOOFD L *see* TUREK Z *et al*
HOROWITZ L N *see* BELHASSEN B *et al*
HOSENPUD J D, CAMPBELL S M, NILES N R, LEE J, MENDELSON D, and HART MV Exercise induced augmentation of cellular and humoral autoimmunity associated with increased cardiac dilatation in experimental autoimmune myocarditis, 217
HOSHIDA S *see* KUZUYA T *et al*
HOSODA S *see* MATSUKI T *et al*
HÜLSMANN W C and DUBELAAR M-L Early damage of vascular endothelium during cardiac ischaemia, 674
—— *see also* LAMERS J M J *et al*
HUTCHINS G M *see* MELIN J A *et al*
HUYSMAN J A N *see* VLIEGEN H W *et al*

I

IIMURA O *see* MATSUKI T *et al*
IJICHI H *see* TAKAHASHI H *et al*
IKEGAKI I *see* TAKAHASHI H *et al*
ILEBEKK A *see* ELLINGSEN Ø *et al*
ILIA R *see* BELHASSEN B *et al*
INGRAM A M *see* KENNY R A *et al*
INNES J A, MILLS C J, NOBLE M I M, MURPHY K, PUGH S, SHORE A C, and GUZ A Validation of beat by pulsed Doppler measurements of ascending aortic blood velocity in man, 72
INO-OKA E *see* NISHIOKA O *et al*
INOUE M *see* MATSUKI T *et al*
INOUE T *see* NABEYAMA S *et al*
ISOYAMA S *see* NISHIOKA O *et al*
ITO T *see* KOJIMA T *et al*
KONDO T *et al*
ITOH K-I *see* NANKI M *et al*
IWAKI M, MIZOBUCHI S, NAKAYA Y, KAWANO K, NIKI T, and MORI H Tetraethylammonium induced coronary spasm in isolated perfused rabbit heart: a hypothesis for the mechanism of coronary spasm, 130

J

JACOB R *see* NOMA K *et al*
JANICKI J S, WEBER K T, LOSCALZO J, and SHROFF S Extracardiac pressure and ventricular haemodynamics, 230
JANSSON E, SYLVÉN C, HENZE A, and KAIJSER L Myocardial enzyme activities in patients with mitral regurgitation or mitral stenosis, 202
—— *see also* SOLLEVI A *et al*

JENSEN Ø *see* ENDRESEN K *et al*
JENSEN T LANG- *see* LANG-JENSEN T
JEREMY J Y *see* GREENBAUM R A *et al*
JEWELL B R and HANCK D A Effects of inotropic interventions on end systolic length-force curve of cat ventricular muscle, 559: correction 782
JOHANSEN J VINTEN- *see* VINTEN-JOHANSEN J
JOHNSTON W E *see* VINTEN-JOHANSEN J *et al*
JONES L A *see* DOYLE R L *et al*
JONGE-STINIS J T DE *see* DE JONGE-STINIS J T

K

KAIJSER L *see* JANSSON E *et al*
SOLLEVI A *et al*
KAMADA T *see* KUZUYA T *et al*
KAMBE T *see* NANKI M *et al*
KAPPAGODA T *see* HETHERINGTON M *et al*
KARAGUEUZIAN H S *see* GANG E S *et al*
KASSIS E Cardiovascular response to orthostatic tilt in patients with severe congestive heart failure, 362
KATAYAMA K *see* KOHNO M *et al*
KAWAI C *see* YUI Y *et al*
KAWANO K *see* IWAKI M *et al*
KAWASAKI T, SASAYAMA S, YAGI S-I, ASAKAWA T, and HIRAI T Non-invasive assessment of the age related changes in stiffness of major branches of the human arteries, 678
KAZDA S *see* TUREK Z *et al*
KENNY R A, LYON C C, INGRAM A M, BAYLISS J, LIGHTMAN S L, and SUTTON R Enhanced vagal activity and normal arginine vasopressin response in carotid sinus syndrome: implications for a central abnormality in carotid sinus hypersensitivity, 545
KHAYUTIN V M *see* MELKUMYANTS A M *et al*
KIM H-S *see* O'NEILL P G *et al*
KIM Y *see* KUZUYA T *et al*
KIRBY M S *see* CRAKE T *et al*
KISHIMOTO S *see* AWATA N *et al*
KJEKSHUS J K *see* GRØTTUM P *et al*
KJELDSEN S E *see* ELLINGSEN Ø *et al*
KLAUS W *see* RÖSEN R *et al*
KLEIN L W, ASKENASE A D, WEINTRAUB W S, AKAISHI M, MERCIER R J, SCHNEIDER R M, AGARWAL J B, and HELFANT R H Absence of coronary vascular reserve n myocardium distal to a fixed coronary stenosis, 99
KLONER R A *see* HALE S L and KLONER R A
KOHNO M, KUMADA T, OZAKI M, MATSUZAKI M, KATAYAMA K, FUJII T, MIURA T, KOHTOKU S, YATABE S, YANO M, HIRO T, and KUSUKAWA R Evaluation of aortic wall distensibility by aortic pressure-dimension relation: effects of nifedipine on aortic wall, 305
KOHTOKU S *see* KOHNO M *et al*
KOJIMA T, HASHIMOTO H, TSUKAMOTO H, ITO T, OGAWA K, SATAKE T Time dependent conversion of creatine kinase MM isoforms in man, 433
KONDO T, OGAWA Y, SUGIYAMA S, ITO T, SATAKE T, and OZAWA T Mechanism of isoproterenol induced myocardial damage, 248
KOSAKA T *see* KOTAKE H *et al*
KOTAKE H, HISATOME I, HASEGAWA J, YAMASAKI J, KOSAKA T, FURUSE T, and MASHIBA H Inhibitory action of 711389-S on the electrical activity of rabbit sinoatrial node, 197
KUBAT K *see* TUREK Z *et al*
KUDOH T *see* MATSUKI T *et al*
KUMADA T *see* KOHNO M *et al*
KUSUKAWA R *see* KOHNO M *et al*
TOMA Y *et al*
KUZUYA T, HOSHIDA S, NISHIDA M, KIM Y, KAMADA T, and TADA M Increased production of arachidonate metabolites in an occlusion-reperfusion model of canine myocardial infarction, 551

L

LAARSE A VAN DER *see* VAN DER LAARSE A
LAB M J *see* DILLY S G and LAB M J
L'ABBATE A *see* LATTANZI F *et al*
LACOMBE P *see* SADR-AMELI M A *et al*
LAKS M M *see* RAUM W J and LAKS M M
LAMBERTS R *see* VISSER K R *et al*
LAMERS J M J, DE JONGE-STINIS J T, VERDOUW P D, and HÜLSMANN W C On the possible role of long chain fatty acylcarnitine accumulation in producing functional and calcium permeability changes in membranes during myocardial ischaemia, 313
LANDINI L *see* LATTANZI F *et al*
LANG-JENSEN T Blood flow velocity and systolic time intervals measured by pulsed Doppler ultrasound: reproducibility of measurements, 582
LATTANZI F, PICANO E, MAZZARISI A, ARATARI C, PELOSI G, POZZOLINI A, SALVATORE L, LANDINI L, DISTANTE A, and L'ABBATE A In vitro identification of different degrees of mitral valve disease by online evaluation of radiofrequency ultrasound signal, 841
LAVENDER J P *see* PETERS A M *et al*
LEE J *see* HOSENPUD J D *et al*
LEOSCO D *see* FERRARA N *et al*
LEVINE A S *see* ARCHER S *et al*
LEVINE T B *see* LIMAS C J *et al*
LEVY M N *see* HENNING R J *et al*
LEWIS M J *see* CHAPPELL S P *et al*
LIGHTMAN S L *see* KENNY R A *et al*
LIMAS C J, OLIVARI M-T, GOLDENBERG I F, LEVINE T B, BENDITT D G, and SIMON A Calcium uptake by cardiac sarcoplasmic reticulum in human dilated cardiomyopathy, 601
LITTLE W C *see* FREEMAN G L *et al*
LITTLER W A *see* SMITH S A *et al*
TAN L B *et al*
LONGOBARDI G *see* FERRARA N *et al*
LORENZ E *see* SEABERG D *et al*
LOSCALZO J *see* JANICKI J S *et al*
LUCAS F V *see* BECKER R C *et al*
LUND G *see* SEABERG D et al
LYON C C *see* KENNY R A *et al*

M

MCCARRAGHER G *see* NATTEL S *et al*
MACCONAILL M Ventricular fibrillation thresholds in Langendorff perfused rabbit hearts: all or none effect of low potassium concentration, 463
MCFALLS E O, PANTELY G A, OPHUIS T O, ANSELONE C G, and BRISTOW J D Relation of lactate production to postischaemic reduction in function and myocardial oxygen consumption after partial coronary occlusion in swine, 856
MACIEL B C *see* GALLO L *et al*
MCINTOSH G H *see* CHARNOCK J S *et al*
MCKOWN D P *see* FUJITA M *et al*
MCKOWN M D *see* FUJITA M *et al*
MCLENNAN P L *see* CHARNOCK J S *et al*
MANCIA G *see* FERRARI A U *et al*
MANDEL W J *see* GANG E S *et al*
MANOHARAN A, GILL R W, and GRIFFITHS K A Splenic blood flow measurements by Doppler ultrasound: a preliminary report, 779
MARTINS L E B *see* GALLO L *et al*
MARUYAMA Y *see* NISHIOKA O *et al*
MASHIBA H *see* KOTAKE H *et al*
MASSIE B M *see* TUBAU J F *et al*
MASUDA Y *see* HENNING R J *et al*
MATSUBARA T *see* NANKI M *et al*
MATSUDA Y *see* TOMA Y *et al*

MATSUKI T, SHOJI T, YOSHIDA S, KUDOH Y, MOTOE M, INOUE M, NAKATA T, HOSODA S, SHIMAMOTO K, YELLON D, and IIMURA O Sympathetically induced myocardial ischaemia causes the heart to release plasma kinin, 428
MATSUZAKI M *see* KOHNO M *et al*
TOMA Y *et al*
MATSUZAWA M *see* TAKAHASHI H *et al*
MAXWELL M P, HEARSE D J, and YELLON D M Is there a component of coronary collateral flow which cannot be detected by radiolabelled microspheres? 747
— — — Species variation in the coronary collateral circulation during regional myocardial ischaemia: a critical determinant of the rate of evolution and extent of myocardial infarction, 737
MAZZARISI A *see* LATTANZI F *et al*
MEESMANN M *see* GANG E S *et al*
MEGAN M B *see* GHOSH S *et al*
MELIN J A, HUTCHINS G M, and BECKER L C Collateral blood flow after coronary occlusion: influence of barbiturate anaesthesia and thoracotomy, 416
MELKUMYANTS A M, BALASHOV S A, VESELOVA E S, and KHAYUTIN V M Continuous control of the lumen of feline conduit arteries by blood flow rate, 863
MENDELSON D *see* HOSENPUD J D *et al*
MENTAR M *see* VLIEGEN H W *et al*
MERCIER R J *see* KLEIN L W *et al*
MICHAEL L H *see* O'NEILL P G *et al*
MICHALIS L *see* SIDERIS D A *et al*
MIKHAILIDIS D P, *see* GREENBAUM R A et al
MILLS C *see* DRAKE-HOLLAND A J *et al*
MILLS C J *see* INNES J A et al
MILLS S A *see* VINTEN-JOHANSEN J *et al*
MIRAMONTI J R *see* RUGH K S *et al*
MIURA T *see* KOHNO M *et al*
MIYAZAKI T *see* MORI H *et al*
MIYAZAKI Y *see* TSUJI K *et al*
MIZOBUCHI S *see* IWAKI M *et al*
MJØS O D *see* YTREHUS K *et al*
MOON K E T *see* BAILEY L E *et al*
MORI H, SAKURAI K, MIYAZAKI T, OGAWA S, and NAKAMURA Y Local myocardial electrogram and potassium concentration changes in superficial and deep intramyocardium and their relations with early ischaemic ventricular arrhythmias, 447
—— *see also* IWAKI M *et al*
MORITANI K *see* TOMA Y *et al*
MOST A S *see* GEWIRTZ H *et al*
MOTOE M *see* MATSUKI T *et al*
MOULOPOULOS S D *see* SIDERIS D A *et al*
MURPHY K *see* INNES J A *et al*
MURRAY R G *see* TAN L B *et al*
MUSCH T I *see* FRIEDMAN D B *et al*
MYERS M J *see* PETERS A M *et al*
MYHRE E see GOLF S and MYHRE E
MYKLEBUST R *see* YTREHUS K *et al*

N

NABEYAMA S, TOMOIKE H, HISANO K, SHIMOKAWA H, INOUE T, YAMAMOTO H, and NAKAMURA M Collateral function modified by glyceryl trinitrate and dipyridamole during coronary occlusion in conscious dogs, 177
NADEAU R *see* SADR-AMELI M A *et al*
NAJM Y C *see* BOJANOWSKI L M R *et al*
NAKAMURA M *see* NABEYAMA S *et al*
NAKAMURA Y *see* MORI H *et al*
NAKATA T *see* MATSUKI T *et al*
NAKAYA Y *see* IWAKI M *et al*
NANKI M, ITOH K-I, MATSUBARA T, NISHIMURA K, KAMBE T, SUGIYAMA S, OZAWA T, and SAKAMOTO N Evaluation of the effect of metoprolol on energy metabolism in the ischaemic myocardium in relation to regional myocardial blood flow, 660
NATTEL S, BEAU S, and MCCARRAGHER G Effect of frequent ventricular ectopy on myocardial infarct size in dogs, 286
NELSON D *see* ARCHER S *et al*
NETO J A M *see* GALLO L *et al*
NETO V N SALES- *see* SALES-NETO V N
NEWBY A C *see* ANGELINI G D *et al*
NEWTON J R *see* GLOWER D D *et al*
NIGDIKAR S V *see* DOW J W *et al*
NIKI T *see* IWAKI M *et al*
NILES N R *see* HOSENPUD J D *et al*
NISHIDA M *see* KUZUYA T *et al*
NISHIMURA K *see* NANKI M *et al*
NISHIOKA O, MARUYAMA Y, ASHIKAWA K, ISOYAMA S, SATOH S, SUZUKI H, WATANABE J, WATANABE H, SHIMIZU Y, INO-OKA E, and TAKISHIMA T Effects of changes in afterload impedance on left ventricular ejection in isolated canine hearts: dissociation of end ejection from end systole, 107
NOBLE M I M *see* BUTCHER R G *et al*
DRAKE-HOLLAND A J *et al*
INNES J A *et al*
NOMA K, RUPP H, and JACOB R Subacute and long term effect of swimming training on blood pressure in young and old spontaneously hypertensive rats, 871
NORRIS R M *see* BROWN M A *et al*

O

OGAWA H *see* TOMA Y *et al*
OGAWA K *see* KOJIMA T *et al*
TSUJI K *et al*
OGAWA S *see* MORI H *et al*
OGAWA Y *see* KONDO T *et al*
OGIWARA Y *see* FURUKAWA Y *et al*
OHTA H *see* AWATA N *et al*
OKA E INO- *see* INO-OKA E
OKABAYASHI H *see* TAKAHASHI H *et al*
OLIVARI M-T *see* LIMAS C J *et al*
OLIVEIRA J S M *see* BESTETTI R B *et al*
OLSON M D *see* BARMAN S A *et al*
OLSSON R A *see* GEWIRTZ H *et al*
OLSSON S B *see* CAI N *et al*
O'NEILL P G, CHARLAT M L, KIM H-S, POCIUS J, MICHAEL L H, HARTLEY C J, ZHU W-X, ROBERTS R, and BOLLI R Lipoxygenase inhibitor nafazatrom fails to attenuate postischaemic ventricular dysfunction, 755
OPHUIS T O *see* MCFALLS E O *et al*
ORDWAY G A *see* FRIEDMAN D B *et al*
ORMEROD O J M, BARBER R W, STONE D L, and WRAIGHT E P Radionuclide assessment of diastolic function in aortic regurgitation: a critical study of its measurement, 835
OSTERRIEDER W *see* CLOZEL J-P *et al*
OZAKI M *see* KOHNO M et al
OZAWA T *see* KONDO T *et al*
NANKI M *et al*

P

PAGANI M, PIZZINELLI P, FURLAN R, GUZZETTI S, RIMOLDI O, and SANDRONE G Effects of verapamil, nifedipine, and dilazep on left ventricular relaxation in the conscious dog, 55
PALMLEY W W *see* TUBAU J F *et al*
PANTELY G A *see* MCFALLS E O *et al*
PAPADOYANNIS D E *see* BUTCHER R G *et al*
PASSANI S L *see* ANGELINI G D *et al*
PAUL D J *see* SPARKS D P *et al*
WILLIAMS C A *et al*
PELISSIER R *see* FARAHIFAR D *et al*
PELOSI G *see* LATTANZI F *et al*
PERONDI R *see* FERRARI A U *et al*
PETER T *see* GANG E S *et al*

PETERS A M, BROWN J, HARTNELL G G, MYERS M J, HANSKELL C, and LAVENDER J P Non-invasive measurement of renal blood flow with ^{99m}TcDTPA: comparison with radiolabelled microspheres, 830
PICANO E *see* LATTANZI F *et al*
PIERPONT M E *see* SEABERG D *et al*
PIZZINELLI P *see* PAGANI M *et al*
POCIUS J *see* O'NEILL P G *et al*
POOLE-WILSON P A *see* CRAKE T, *et al*
WANLESS R B *et al*
POZZOLINI A *see* LATTANZI F *et al*
PRADA M DA *see* DA PRADA M
PRIGGE W *see* ARCHER S *et al*
PSAILA J V *see* ANGELINI G D *et al*
PUGH S *see* DRAKE-HOLLAND A J *et al*
INNES J A *et al*

Q

QUANBECK D *see* BACHE R J *et al*

R

RAKUSAN K *see* TUREK Z *et al*
RAMOS C P *see* BESTETTI R B *et al*
RANKIN J S *see* GLOWER D D *et al*
RAUM W J and LAKS M M Hypertrophic cardiomyopathy: correspondence, 469
RAY A, AUMONT M-C, AUSSEDAT J, BERCOVICI J, ROSSI A, and SWYNGHEDAUW B Protein and 28S ribosomal RNA fractional turnover rates in the rat heart after abdominal aortic stenosis, 587
RENGO F *see* FERRARA N *et al*
RICCIARDI L *see* VAN DER LAARSE A *et al*
RIEMERSMA R A *see* FORFAR J C and RIEMERSMA R A
RIESGO M *see* GARCIA-DORADO D *et al*
RIMOLDI O *see* PAGANI M *et al*
ROBERTS R *see* O'NEILL P G *et al*
ROBINS S P *see* WHITTLE M A *et al*
ROCHETTE L *see* BRIL A *et al*
RÖSEN R, DAUSCH W, BECK E, and KLAUS W Platelet induced aggravation of acute ischaemia in an isolated rabbit heart model, 293
ROSSALL R E *see* HETHERINGTON M *et al*
ROSSI A *see* RAY A *et al*
RUGH K S, GARNER H E, HATFIELD D G, and MIRAMONTI J R Ischaemia induced development of functional coronary collateral circulation in ponies, 730
RUPP H *see* NOMA K *et al*
RYDER W A *see* DOYLE R L *et al*
RYSAVY J *see* SEABERG D *et al*

S

SAARI J T *see* BARMAN S A *et al*
SADR-AMELI M A, SHENASA M, LACOMBE P, FAUGÈRE G, and NADEAU R Effect of autonomic nervous system modulation on retrograde atrioventricular nodal conduction in the human heart, 45
SAEED M *see* HARTMANN A *et al*
SAEGUSA K *see* FURUKAWA Y *et al*
SAKAGUCHI K *see* YUI Y *et al*
SAKAMOTO N *see* NANKI M *et al*
SAKURAI K *see* MORI H *et al*
SALES-NETO V N *see* BESTETTI R B *et al*
SALIH M M *see* SMITH S A *et al*
SALVATORE L *see* LATTANZI F *et al*
SANDRONE G *see* PAGANI M *et al*
SANTAMORE W P *see* VINTEN-JOHANSEN J *et al*
SASAYAMA S *see* KAWASAKI T *et al*
SATAKE T *see* KOJIMA T *et al*
KONDO T *et al*
TSUJI K *et al*
SATOH S *see* NISHIOKA O *et al*
SAWAMURA A *see* AWATA N *et al*
SAWANOBORI T, HIRANO Y, and HIRAOKA M Effect of acetylcholine on aconitine induced delayed afterdepolarisation in the frog atrium and ventricle, 804
SCHMIDT W *see* SOLLEVI A *et al*
SCHNEIDER R M *see* KLEIN L W *et al*
SEABERG D, LORENZ E, LUND G, RYSAVY J, PIERPONT M E, ZHANG S-L, and EINZIG S Exercise reduces persistent ductus arteriosus shunting in piglets, 847
SEDERHOLM M *see* GRØTTUM P *et al*
SEIPEL L *see* HOFFMEISTER H M *et al*
SHAPIRO L M and THWAITES B C Measurement of isovolumic relaxation: comparison of echocardiographic mitral valve opening and Doppler mitral valve flow, 489
ENASA M *see* SADR-AMELI M A *et al*
IDAN D J Assessment of myocardial contractility in man: editorial,623
SHIMAMOTO K *see* MATSUKI T *et al*
SHIMIZU Y *see* NISHIOKA O *et al*
SHIMOKAWA H *see* NABEYAMA S *et al*
SHOJI T *see* MATSUKI T *et al*
SHORE A C *see* INNES J A *et al*
SHROFF S *see* JANICKI J S *et al*
SIDERIS D A , VARDAS P E, CHRYSOS D N, TOUMANIDIS S T, MICHALIS L, and MOULOPOULOS S D An extravascular hydraulic system to control blood pressure by a feedback regulation of the venous return, 337
SIEVERS R *see* TUBAU J F *et al*
SILVA J FIGUERÊDO- *see* FIGUERÊDO-SILVA J
SIMMONS A *see* BADYLAK S F *et al*
SIMON A *see* LIMAS C J *et al*
SIMONSEN S *see* ENDRESEN K *et al*
SMITH S A, STALLARD T J, SALIH M M, and LITTLER W A Can sinoaortic barorecpetor heart rate reflex sensitivity be determined from phase IV of the Valsalva manoeuvre? 42
SOLARES J *see* GARCIA-DORADO D *et al*
SOLLEVI A, SCHMIDT W, JANSSON E, BOMFIM V, and KAIJSER L Adenine nucleotide degradation in the human myocardium during cardioplegia, 358
SONNENBLICK E H *see* CONWAY R S *et al*
SPARKS D P, PAUL D J, and WILLIAMS C A Effects of carotid artery occlusion on the pressor response induced by sustained isometric contractions in the cat, 521
SPARKS H V *see* HELLER L J *et al*
SPRATT J A *see* GLOWER D D *et al*
STALLARD T J *see* SMITH S A *et al*
STEINGART R M *see* COHEN M V and STEINGART RM
STINIS J T DE JONGE- *see* DE JONGE-STINIS J T
STONE D L *see* ORMEROD O J M *et al*
SUGA K *see* TAKAHASHI H *et al*
SUGIYAMA S *see* KONDO T *et al*
NANKI M *et al*
SUSAWA T *see* YUI Y *et al*
SÜTSCH G *see* HARTMANN A *et al*
SUTTON R *see* KENNY R A *et al*
SUZUKI H *see* NISHIOKA O *et al*
SWAIN J L *see* GLOWER D D *et al*
SWYNGHEDAUW B *see* RAY A *et al*
SYLVÉN C *see* JANSSON E *et al*
SZLACHCIC J *see* TUBAU J F *et al*

T

TADA A *see* FURUKAWA Y *et al*
TADA M *see* KUZUYA T *et al*
TAKAHASHI H, OKABAYASHI H, MATSUZAWA M, SUGA K, IKEGAKI I, YOSHIMURA M, and IJICHI H Centrally induced vasopressor responses to ouabain in DOCA-salt hypertensive rats, 439
TAKATSU Y *see* YUI Y *et al*

TAKAYAMA M *see* BROWN M A *et al*
TAKEDA M *see* FURUKAWA Y *et al*
TAKIHARA K *see* AWATA N *et al*
TAKISHIMA T *see* NISHIOKA O *et al*
TAN L B Clinical and research implications of new concepts in the assessment of cardiac pumping performance in heart failure, 615
—— MURRAY R G AND LITTLER W A An analytical method to separate inotropic and vasodilatory drug effects in patients with heart failure, 625
TANAKA Y *see* AWATA N *et al*
TEO K K *see* HETHERINGTON M *et al*
THÉROUX P *see* GARCIA-DORADO D *et al*
THWAITES B C *see* SHAPIRO L M and THWAITES B C
TIMMIS A D *see* BOJANOWSKI L M R *et al*
TOMA Y, MATSUDA Y, MORITANI K, OGAWA H, MATSUZAKI M, and KUSUKAWA R Left atrial filling in normal human subjects: relation between left atrial contraction and left atrial early filling, 255
TOMANEK R J *see* COOPER G and TOMANEK R J
TOMOIKE H *see* NABEYAMA S *et al*
TOUMANIDIS S T *see* SIDERIS D A *et al*
TRESLONG C H F BLOYS VAN *see* BLOYS VAN TRESLONG C H F
TSUBOTA H *see* FURUKAWA Y *et al*
TSUJI K, TSUTSUMI S, OGAWA K, MIYAZAKI Y, and SATAKE T Cardiac alpha$_1$ and beta adrenoceptors in rabbits: effects of dietary sodium and cholesterol, 39
TSUKAMOTO H *see* KOJIMA T *et al*
TSUTSUMI S *see* TSUJI K *et al*
TUBAU J F, WIKMAN-COFFELT J, MASSIE B M, SZLACHCIC J, PARMLEY W W, SIEVERS R, and HENDERSON S Diltiazem prevents hypertrophy progression, preserves systolic function, and normalises myocardial oxygen utilisation in the spontaneously hypertensive rat, 606
TUREK J *see* BADYLAK S F *et al*
TUREK Z, KUBAT K, KAZDA S, HOOFD L, and RAKUSAN K Improved myocardial capillarisation in spontaneously hypertensive rats treated with nifedipine, 725

V

VAN DER LAARSE A, BLOYS VAN TRESLONG C H F, VLIEGEN H W, and RICCIARDI L Relation between ventricular DNA content and number of myocytes and non-myocytes in hearts of normotensive and spontaneously hypertensive rats, 223
—— *see also* VLIEGEN H W *et al*
VAN TRESLONG C H F BLOYS *see* BLOYS VAN TRESLONG C H F
VARDAS P E *see* SIDERIS D A *et al*
VENGEN Ø A *see* ELLINGSEN D *et al*
VERDOUW P D *see* LAMERS J M J *et al*
VESELOVA E S *see* MELKUMYANTS A M *et al*
VINTEN-JOHANSEN J, JOHNSTON W E, CRYSTAL G J, MILLS S A, SANTAMORE W P, and CORDELL A R Validation of local venous sampling within the at risk left anterior descending artery vascular bed in the canine left ventricle, 646
VISSER KR, LAMBERTS R, and ZULSTRA W G Investigation of the parallel conductor model of impedance cardiography by means of exchange transfusion with stroma free haemoglobin solution in the dog, 637
VLIEGEN H W, VAN DER LAARSE A, HUYSMAN J A N, WIJNVOORD E C, MENTAR M, CORNELISSE C J, and EULDERINK F Morphometric quantification of myocyte dimensions validated in normal growing rat hearts and applied to hypertrophic human hearts, 352
—— *see also* VAN DER LAARSE A *et al*

W

WACH R, EMERY C J, BEE D, and BARER G R Effect of alveolar pressure on pulmonary artery pressure in chronically hypoxic rats, 140
WANLESS R B, ANAND I S, POOLE-WILSON P A, and HARRIS P. An experimental model of chronic cardiac failure using adriamycin in the rabbit: central haemodynamics and regional blood flow, 7
—— *see also* BUTCHER R G *et al*
WATANABE H *see* NISHIOKA O *et al*
WATANABE J *see* NISHIOKA O *et al*
WATANABE N, YONEKURA S, and DOWNEY H F Regional myocardial blood flow during cardiac tamponade in hearts with chronic coronary artery occlusion, 530
WEBER K T *see* JANICKI J S *et al*
WEINTRAUB W S *see* KLEIN L W *et al*
WEIR E K *see* ARCHER S *et al*
WHITE H D *see* BROWN M A *et al*
WHITTLE M A, ROBINS S P, HASELETON P S, and ANDERSON J C Biochemical investigation of possible lesions in human aorta that predispose to dissecting aneurysms: pyridinoline cross-links, 161
WIJNVOORD E C *see* VLIEGEN H W *et al*
WIKMAN-COFFELT J *see* TUBAU J F *et al*
WILIAMS C A, BLEVINS L S, and PAUL D J Possible catecholaminergic-opioidergic control of blood pressure during muscular contraction, 471
—— *see* SPARKS D P *et al*
WILLIAMS H M *see* ANGELINI G D *et al*
WILLIAMS R S *see* FRIEDMAN D B *et al*
WILSON P A POOLE- *see* POOLE-WILSON P A
WOLFE J A *see* GOWER D D *et al*
WRAIGHT E P *see* ORMEROD O J M *et al*

Y

YAGI S-I *see* KAWASAKI T *et al*
YAMAMOTO H *see* NABEYAMA S *et al*
YAMASAKI J *see* KOTAKE H *et al*
YANG T *see* HENNING R J *et al*
YANO M *see* KOHNO M *et al*
YATABE S *see* KOHNO M *et al*
YELLON D *see* MATSUKI T *et al*
YELLON D M *see* MAXWELL M P *et al*
YONEKURA S *see* WATANABE N *et al*
YOSHIDA S *see* MATSUKI T *et al*
YOSHIMURA M *see* TAKAHASHI H *et al*
YTREHUS K, GUNNES S, MYKLEBUST R, and MJØS O D Protection by superoxide dismutase and catalase in the isolated rat heart reperfused after prolonged cardioplegia: a combined study of metabolic, functional, and morphometric ultrastructural variables, 492
YUI N *see* YUI Y *et al*
YUI Y, SAKAGUCHI K, SUSAWA T, HATTORI R, TAKATSU Y, YUI N, and KAWAI C Thromboxane A_2 analogue induced coronary artery vasoconstriction in the rabbit, 119

Z

ZENDA H *see* FURUKAWA Y *et al*
ZHANG S-L *see* SEABERG D *et al*
ZHU W-X *see* O'NEILL P G *et al*
ZULSTRA W G *see* VISSER K R *et al*

SUBJECT INDEX
1987, Volume 21

A

Acetylcholine, effect on aconitine induced delayed afterdepolarisation, frog atrium and ventricle, 804
— hydrolysis, affect on phase dependency of cardiac responses to vagal stimulation, 169
Aconitine induced delayed afterdepolarisation, effect of acetylcholine, frog atrium and ventricle, 804
Adenine nucleotide degradation, in human myocardium, during cardioplegia, 358
Adenosine, aminophyline influence on electrophysiology, dog, 151
— and coronary blood flow, absence of coronary reserve during fixed stenosis, 99
— in modulation of cardiac neurosympathetic activity, 821
— role in mediating coronary vasodilative response to acute hypoxia, 81
— transient increase in release during rapid cardiac pacing, 391
— triphosphate, aminophylline influence on electrophysiology, dog, 151
— — generation, mitochondrial, unstimulated endothelium derived relaxing factor independence, 565
— — salvage mechanisms for regeneration, cardiac myocytes, rat, 188
Adriamycin cardiomypathy, regional blood flow, 7
Afterload impedance, changes, effect on left ventricular ejection in isolated canine hearts, dissociation of end ejection from end systole, 107
Age, and arterial stiffness, 678
AICAriboside, and postischaemic myocardial function, 328
Alpha$_1$ adrenoceptors, effects of dietary sodium and cholesterol, rabbits, 39
Alveolar pressure, effect on pulmonary artery pressure, chronically hypoxic rats, 140
Aminophylline, influence on electrophysiology of adenosine and ATP, dog, 151
Antidepressant drugs, electrophysiological effects on cardiac Purkinje fibres, dog, 783
Aortic regurgitation, diastolic function, radionuclide assessment, critical study of measurement, 835
— valvar stenosis, abdominal, protein and 28S ribosomal RNA fractional turnover rates, rat, 587
— — — calcific, inorganic phase, crystallochemical characteristics, 761
Arachidonate metabolites, increased production, reperfused ischaemic myocardium, dog, 551
Arginine vasopressin response and enhanced vagal activity, in carotid sinus syndrome, 545
Arterial lumen, continuous control by blood flow rats, cat, 863
— stiffness and age, 678
— uptake indices of low density lipoproteins, after fatty streak formation, in Cynomolgus monkeys, 14
Atrial fibrillation, heart rate stratified RR interval histograms, 455
Atrioventricular node, baroreceptor reflexes in analysis of control, man, 385
Autoimmune myocarditis, experimental, exercise in, 217
Autonomic nervous system modulation, effect on retrograde atrioventricular nodal conduction, human heart, 45

B

Bacterial tissue tropism, in vitro model for infective endocarditis, 813
Baroreceptor heart rate reflex and Valsalva manoeuvre, 422
— reflexes, in analysis of control of sinus and atrioventricular nodes, man, 385
Beta adrenergic blockade with propranolol and atenolol, exercising dog, evidence for beta$_2$ adrenoceptors in sinoatrial node, 124
— adrenoceptors and chronic myocardial infarction, 688
— — effects of dietary sodium and cholesterol, rabbits, 39
— blockers, comparison of effect with different ancillary properties on isolated canine and human coronary arteries, 299
Björk-Shiley valve prosthesis, velocity field, influence of disc orientation, 90
Blood flow velocity and systolic time intervals measured by pulsed Doppler ultrasound, reproducibility of measurements, 582
— pressure, during exercise, effect of clonidine, 471
— — effect of swimming training, spontaneously hypertensive rats, 871
— — venous return extravascular feedback system, 337

C

Calcific aortic valvar stenosis, inorganic phase, crystallochemical characteristics, 761
Calcium physiology in myocytes, rat, 772
— uptake by cardiac sarcoplasmic reticulum in dilated cardiomyopathy, 601
Captopril, left ventricular mass reduction, normal rats, 323
Cardiac catheterisation, platelet function during, effect of heparin and contrast medium, 878
— function, effect of dietary lipid supplements, radionuclide angiographic study, 369
— hypertrophy, model dependent behaviour, 342
— output, pulsed Doppler ultrasound compared with thermodilution for monitoring, 260
— pumping performance in heart failure, clinical and research implications of new concepts in assessment, 615
— responses to vagal stimulation, acetylcholine hydrolysis effect on phase dependency, 169
— sarcolemmal calcium binding, effect of histamine as indicated by use of ionic lanthanum, 569
— sympathetic activity, metabolic modulation, 821
— tamponade in hearts with chronic coronary artery occlusion, regional myocardial blood flow during, 530
Cardiomyocytes, protected from proteolytic enzyme activity, oxidative metabolism, guinea pig, 481
Cardiomyopathy, adriamycin, regional blood flow, 7
Cardioplegia, adenine nucleotide degradation in human myocardium during, 358
— prolonged, protection by superoxide dismutase and catalase, 492
Cardiovascular response to orthostatic tilt, in severe congestive heart failure, 362
Carotid artery occlusion, effect of clonidine on pressor response, 521
— sinus syndrome, enhanced vagal activity and normal arginine vasopressin response, 545
Catalase, protection in prolonged cardioplegia, 492
Catecholamine release during sympathetic nerve stimulation, 892
— responsiveness to chronic myocardial infarction, 688
Catecholaminergic-opioidergic control of blood pressure during muscular contraction, 471
Centrally induced vasopressor responses to ouabain, DOCA-salt hypertensive rats, 439
Chagas' disease, functional evaluation of sympathetic and parasympathetic system using dynamic exercise, 922
Cholesterol, dietary, effects on cardiac alpha$_1$ and beta adrenoceptors, rabbits, 39
Cholinergic activity, increased, role in reperfusion induced ventricular arrhythmias, 279
Clonidine, carotid artery occlusion and pressor respone, 521
— effect on blood pressure during exercise, 471
Collagen, crosslinks, pyridinoline distribution in human thoracic aorta, 161

Collateral blood flow after coronary occlusion, influence of barbiturate anaesthesia and thoracotomy, 416
— function modified by glyceryl trinitrate and dipyridamole, during coronary occlusion, conscious dog, 177
Conducting pulmonary arteries, structural adaptation to extrauterine life, pig, 208
Conduit arteries, continuous control of lumen by blood flow rate, cat, 863
Congestive heart failure, cardiovascular response to orthostatic tilt, 362
Contrast medium and heparin, effect on platelet function during routine cardiac catheterisation, 878
Coronary artery bypass grafting, prostacyclin production impairment caused by preparation of saphenous vein, 28
— — — grafts, saphenous vein, nature and pressure dependence of damage induced by distension, 902
— — disease, monophasic action potentials, reproducibility and electrical restitution and conduction at different stimulation rates, 696
— — isolated canine and human, different ancillary properties and beta blockers, 299
— — occlusion, and cardiac tamponade, regional myocardial blood flow during, 530
— — reperfusion, early, effect on infarct development in model of low collateral flow, 668
— — vasoconstriction, thromboxane A_2 analogue induced, rabbit, 119
— collateral circulation during regional myocardial ischaemia, and myocardial infarction, 737
— — — functional, ischaemia induced development, ponies, 730
— — development, evaluation by regional myocardial function and reactive hyperaemia, 377
— — flow, possibility of component which cannot be detected by radiolabelled microspheres, 747
— occlusion, collateral blood flow after, influence of barbiturate anaesthesia and thoracotomy, 416
— — collateral function during, effect of glyceryl trinitrate and dipyridamole, conscious dogs, 177
— — gradual and abrupt, differences in ischaemic dysfunction after, effects on isovolumic relaxation, 507
— spasm, tetraethylammonium induced, mechanism, hypothesis, 130
— vascular reserve, absence in myocardium distal to fixed coronary stenosis, 99
Creatine kinase MM isoforms, time dependent conversion, man, 433
— kinase and myoglobin, myocardial infarction, assessment by QRS vectors, 652
Cremaster muscle, microvascular reactivity, myopathic Syrian hamster, 796
Crystallochemical characteristics of inorganic phase of calcific aortic valvar stenosis, 761
Cynomolgus monkeys, arterial uptake of low density lipoproteins, after fatty streak formation, 14

D

Deferoxamine, postischaemic, in protection for reperfusion injury, isolated rat heart, 500
Deoxycorticosterone-salt hypertensive rats, centrally induced vasopressor responses to ouabain, 439
Dibutyryl cyclic AMP, effect of free calcium concentrations in myocytes, rat, 772
Dilated cardiomyopathy, calcium uptake by cardiac sarcoplasmic reticulum, 601
Dilazep, effect on left ventricular relaxation, conscious dog, 55
Diltiazem in myocardial hypertrophy, 606
Dipyridamole, effect on collateral function during coronary occlusion, conscious dogs, 177
DNA, ventricular content, and myocytes and non-myocytes, hearts, normotensive and spontaneously hypertensive rats, 223
Doppler aortic blood velocity, man, 72
— ultrasound, splenic blood flow measurements, preliminary report, 779

E

Eicosanoids, and reperfused ischaemic myocardium, dog, 551
Electrocardiogram-detected myocardial lesion, isoproterenol cardiomyopathy, rat, 916
Electrogram and potassium concentration changes during ischaemia, 447
Electrophysiological effects of some antidepressant drugs on cardiac Purkinje fibres, dog, 783
End ejection, dissociation from end systole, 107
— systolic length-force curve, ventricular muscle, effects of inotropic interventions, cat, 559: correction, 782
Endothelium dependent relaxation, effect of lipid feeding, aortic preparation, rabbit, 34
— derived relaxing factor, unstimulated release independent of mitochondrial ATP generation, 565
— microvascular, and histamine, 576
Exchange transfusion with stroma free haemoglobin solution to investigate impedance cardiography, parallel conductor model, dog, 637
Exercise, $beta_1$ and $beta_2$ receptors in, 124
— in Chagas' disease, functional evaluation of sympathetic and parasympathetic system, 922
— in experimental autoimmune myocarditis, 217
— induced hyperaemia, effects of nifedipine, 766
— reduces persistent ductus arteriosus shunting in piglets, 847
— training, lack of effect on ischaemic and infarcting myocardium, dog, 269
— upright, response, after myocardial infarction, 399
Extracardiac pressure and ventricular haemodynamics, 230
Extrauterine life, structural adaptation of conducting pulmonary arteries, pig, 208
Extravascular feedback, venous return, and blood pressure, 337

F

Fatty streak formation, arterial uptake indices of low density lipoproteins, Cynomolgus monkeys, 14
Felodipine, analysis of effect in heart failure, 625
— measuring inotropic effect, 631
Fish oil diet, effects on pulmonary vascular reactivity and lung phospholipid fatty acid composition, 928
Free calcium concentration in myocytes, rat, 772

G

Glyceryl trinitrate, effect on collateral function during coronary occlusion, conscious dogs, 177

H

Heart failure, cardiac pumping performance, clinical and research implications of new concepts in assessment, 615
— — separating inotropic and vasodilatory drug effects, 625
— rate stratified RR interval histograms, use in analysis of atrioventricular conduction during atrial fibrillation, 455
— valves, and interleukin-1 like protein, 21
Heparin and contrast medium, effect on platelet function during routine cardiac catheterisation, 878
Histamine, effect on cardiac sarcolemmal calcium binding as indicated by use of ionic lanthanum, 569
— and microvascular endothelium, 576
Hyperaemia, coronary reactive and exercise induced, effects of nifedipine, 766
Hypercholesterolaemia and EDRF responses, 34
Hypertrophic cardiomyopathy: correspondence, 469
Hypertrophy, myocardial, effect of diltiazem, 606
Hypoxia, acute, adenosine and coronary vasodilatation during, 81

— chronic, alveolar pressure and pulmonary artery pressure, rats, 140
— lactate and potassium efflux during, 886
— potassium efflux from myocardium during, role of lactate ions, 886

I

Impedance cardiography, parallel conductor model, investigation, dog, 637
Infarct size, and duration of coronary occlusion, in myocardial reperfusion of pig heart model, 537
— *see also* Myocardial infarct
Infective endocarditis, bacterial tissue tropism as in vitro model for, 813
Inosine, myocardial and circulatory effects, 65
Inotropic interventions, effects on end systolic length-force curve, ventricular muscle, cat, 559: correction, 782
— property of a vasodilating drug, measuring, 631
— and vasodilatory drug effects, separating, in heart failure, 625
Interleukin-1 like protein from heart valves, 21
Ischaemia, acute, platelet induced aggravation, isolated rabbit heart model, 293
— cardiac, early damage of vascular endothelium, 674
Ischaemic dysfunction, differences after gradual and abrupt coronary occlusion, effects on isovolumic relaxation, 507
— myocardium, effect of metoprolol on energy metabolism in relation to regional myocardial blood flow, 660
— *see also* Myocardial ischaemia
— ventricular arrhythmias, local myocardial electrogram and potassium concentration changes, 447
Isoprenaline and chronic myocardial infarction, 688
Isoproterenol cardiomyopathy, ECG-detected myocardial lesion, rat, 916
— induced myocardial damage, mechanism, 248
Isovolumic relaxation, measurement, comparison of echocardiographic mitral valve opening and Doppler mitral valve flow, 489

L

Lactate and potassium efflux during hypoxia, 886
— production, relation to postischaemic reduction in function and myocardial oxygen consumption after partial coronary occlusion, swine, 856
Lanthanum, ionic, effect of histamine on cardiac sarcolemmal calcium binding as indicated by use of, 569
— — use to show histamine induced alteration of calcium binding to microvascular endothelium, 576
Left anterior descending artery, validation of local venous sampling within at risk area, 646
— atrial filling in normal human subjects, relation between left atrial contraction and left atrial early filling, 255
— ventricular ejection, effects of changes in afterload impedance, in isolated canine hearts, dissociation of end ejection from end systole, 107
— — function, changing, pulsed Doppler ultrasound compared with thermodilution for monitoring cardiac output, 260
— — hypertrophy, effect of diltiazem, 606
— — mass, reduction by captopril, normal rats, 323
— — response, transient, to inspiration, 407
Lipid feeding, effect on endothelium dependent relaxation, aortic preparations, rabbit, 34
— supplements, dietary, radionuclide angiographic study of influence on cardiac function, 369
Local venous sampling in area at risk, 646
Long chain fatty acylcarnitine accumulation, possible role in producing functional and calcium permeability changes in membranes during myocardial ischaemia, 313
Low density lipoproteins, arterial uptake indices, after fatty streak formation in Cynomolgus monkeys, 14
Lung phospholipid fatty acid composition, effects of fish oil diet, 928

M

Metabolic modulation of cardiac neurosympathetic activity in vivo, effects of potassium and adenosine, 821
Metoprolol, effect on energy metabolism in ischaemic myocardium in relation to regional myocardial blood flow, 660
Microsphere insensitive collateral flow, possibility of undetected component, 747
Microspheres, radiolabelled, compared with non-invasive measurement of renal blood flow with ^{99m}TcDTPA, 830
Microvascular reactivity, cremaster muscle, myopathic Syrian hamster, 796
Mitochondrial ATP generation, unstimulated endothelium derived relaxing factor independence, 565
Mitral regurgitation, myocardial enzyme activities, 202
— valve stenosis, myocardial enzyme activities, 202
— — disease, different degrees, in vitro identification by ultrasound, 841
Monocyte dimensions, morphometric quantification, 352
Monophasic action potentials in coronary artery disease, reproducibility and electrical restitution and conduction at different stimulation rates, 696
— — — duration, changes during first hour of regional myocardial ischaemia, pig, 908
Myocardial blood flow, regional, during cardiac tamponade in hearts with chronic coronary artery occlusion, 530
— capillarisation, improved, in spontaneously hypertensive rats treated with nifedipine, 725
— contractility, assessment in man: editorial, 623
— dysfunction (stunning), postischaemic, relation of lactate production, swine, 856
— enzyme activities, in mitral regurgitation or mitral stenosis, 202
— infarct, effect of frequent ventricular ectopy on size, dogs, 286
— *see also* Infarct size
Myocardial infarction, assessment by QRS vectors, myoglobin and creatine kinase, 652
— infarction, chronic, effects on responsiveness to isoprenaline and state of myocardial beta adrenoceptors, rats, 688
— — occlusion-reperfusion model, increased production of arachidonate metabolites, 551
— — response to upright exercise after, 399
— — species variation in coronary collateral circulation during regional myocardial ischaemia, 737
— ischaemia, acute, post-systolic shortening as marker of potential for early recovery, dog, 703
— — plasma kinin release, 428
— — possible role of long chain fatty acylcarnitine accumulation in producing functional and calcium permeability changes in membranes, 313
— — regional, changes in monophasic action potential duration during first hour, pig, 908
— — *see also* Ischaemic myocardium
— reperfusion, infarct size and duration of coronary occlusion, pig heart model, 537
Myocarditis, autoimmune, experimental, exercise in, 217
Myocardium, potassium efflux during hypoxia, role of lactate ions, 886
Myocytes cardiac, salvage mechanisms for regeneration of adenosine triphosphate, rat, 188
— free calcium concentration, rat, 772
— and non-myocytes and ventricular DNA content, hearts, normotensive and spontaneously hypertensive rats, 223
Myoglobin and creatine kinase, myocardial infarction, assessment by QRS vectors, 652

N

Nafazatrom, lipoxygenase inhibitor, failure to attenuate postischaemic ventricular dysfunction, 755
Nifedipine, and aortic pressure-dimension relation, 305

— effects on coronary reactive and exercise induced hyperaemia, 766
— effect on left ventricular relaxation, conscious dog, 55
— improving myocardial capillarisation in spontaneously hypertensive rats, 725
Noradrenaline, lack, effect on myocardial oxygen consumption, in denervated dog hearts, 515
— release in dog heart, time dependent impairment of vagally mediated inhibition, 717

O

Orthostatic tilt, cardiovascular response, in severe congestive heart failure, 362
Ouabain, centrally induced vasopressor responses, DOCA-salt hypertensive rats, 439
Overdrive suppression of ventricular automaticity, 391
Oxidative metabolism in ventricular myocytes protected from proteolytic enzyme activity, guinea pig, 481
Oxygen consumption, myocardial, denervated hearts, effect of noradrenaline lack, dog, 515
Oxypurinol administration, in protection for reperfusion injury, isolated rat heart, 500

P

Persistent ductus arteriosus shunting, exercise reducing, piglets, 847
Phosphodiesterase type III inhibitor, new, effect as coronary vasodilator and positive inotropic agent, 593
Plasma kinin release and myocardial ischaemia, 428
Platelet function during routine cardiac catheterisation, effect of heparin and contrast medium, 878
— induced aggravation of acute ischaemia, isolated rabbit heart model, 293
Positive inotropic agent, phosphodiesterase type III inhibitor, 593
Post-systolic shortening, marker of potential for early recovery of acutely ischaemic myocardium, dog, 703
Potassium concentration and electrogram changes during ischaemia, 447
— — low, all or none effect, ventricular fibrillation thresholds in Langendorff perfused rabbit hearts, 463
— efflux and lactate during hypoxia, 886
— — from myocardium during hypoxia, role of lactate ions, 886
— in modulation of cardiac neurosympathetic activity, 821
— uptake, myocardial, and catecholamine release during cardiac sympathetic nerve stimulation, 892
Pressor response, and carotid artery occlusion, effects of clonidine, 521
Pressures, pericardial and intrathoracic, and ventricular haemodynamics, 230
Prostacyclin, production impairment caused by preparation of saphenous vein, 28
Protein and 28S ribosomal RNA fractional turnover rates after abdominal aortic stenosis, rat, 587
Pulmonary artery pressure, effect of alveolar pressure, chronically hypoxic rats, 140
— vascular reactivity, effects of fish oil diet, 928
Pulsed Doppler ultrasound compared with thermodilution for cardiac output monitoring, 260
— — — in measurement of blood flow velocity and systolic time intervals, reproducibility of measurements, 582
Pumping performance, cardiac, in heart failure, clinical and research implications of new concepts in assessment, 615
Purine nucleotide content, in postischaemic myocardium, conscious dog, 328
Purkinje fibres, cardiac, electrophysiological effects of some antidepressant drugs, dog, 783
Pyridinoline distribution in human thoracic aorta, 161

Q

QRS vectors in assessment of myocardial infarction, myoglobin and creatine kinase, 652

R

Radionuclide assessment of diastolic function in aortic regurgitation, critical study of measurement, 835
Regional blood flow, in adriamycin cardiomyopathy, 7
— myocardial blood flow, effect of metoprolol on energy metabolism, ischaemic myocardium, 660
Renal blood flow, non-invasive measurement with ^{99m}TcDTPA, comparison with radiolabelled microspheres, 830
Reperfusion induced ventricular arrhythmias, role of increased cholinergic activity, 279
— injury, protection by postischaemic deferoxamine and oxypurinol administration, isolated rat heart, 500
— ischaemic myocardium, increased production of arachidonate metabolites, dog, 551
Research fraud, statement, 240
Retrograde atrioventricular nodal conduction, effect of autonomic nervous system modulation, human heart, 45

S

711389-S, inhibitory action on electrical activity of sinoatrial node, rabbit, 197
Saphenous vein coronary artery bypass grafts, nature and pressure dependence of damage induced by distension, 902
Sarcoplasmic reticulum, cardiac, calcium uptake, in dilated cardiomyopathy, 601
Sinoatrial node, inhibitory action of 711389-S on electrical activity, rabbit, 197
Sinus node, baroreceptor reflexes in analysis of control, man 385
Sodium, dietary, effects on cardiac alpha$_1$ and beta adrenoceptors, rabbits, 39
Splenic blood flow measurement by Doppler ultrasound, preliminary report, 779
Staphylococcus aureus and infective endocarditis, 813
Superoxide dismutase, protection in prolonged cardioplegia, 492
Swimming training, effect on blood pressure, spontaneously hypertensive rats, 871
Sympathetic nerve stimulation, cardiac, myocardial potassium uptake and catecholamine release during, 892
Systolic time intervals and blood flow velocity measured by pulsed Doppler ultrasound, reproducibility of measurements, 582

T

Taurine, acute haemodynamic effect on hearts in vivo with normal and depressed myocardial function, 241: correction, 702
^{99m}TcDTPA, comparison with radiolabelled microspheres in measurement of renal blood flow, 830
Tetraethylammonium induced coronary spasm, in isolated perfused rabbit heart, hypothesis for mechanism of coronary spasm, 130
Thermodilution compared with pulsed Doppler ultrasound for cardiac output monitoring, 260
Thoracic aorta, pyridinoline distribution, human, 161
Thromboxane A_2 analogue induced coronary artery vasoconstriction, rabbit, 119
Time dependent conversion of creatine kinase MM isoforms, man, 433

U

Ultrasonic characterization of human mitral valve in vitro, 841

V

Vagal activity, enhanced, and normal arginine vasopressin response, in carotid sinus syndrome, 545

Vagally mediated inhibition of noradrenaline release, time dependent impairment, dog, 717
Valsalva manoeuvre, and baroreceptor heart rate reflex, 422
Valve prosthesis, Björk-Shiley, velocity field, influence of disc orientation, 90
Vascular endothelium, early damage during cardiac ischaemia, 674
Vasodilators, analysis of effect in heart failure, 625
— measuring inotropic effects, 631
— phosphodiesterase type III inhibitor, 593
Vasodilatory and inotropic drug effects, separating, in heart failure, 625
Vasopressor responses to ouabain, centrally induced, DOCA-salt hypertensive rats, 439
Ventricle, left, effects of verapamil, nifedipine, and dilazep, conscious dog, 55
Ventricular dysfunction, postischaemic, failure of lipoxygenase inhibitor nafazatrom to attenuate, 755
— ectopy, frequent, effect on myocardial infarct size, dogs, 286
— fibrillation threshold, decline after successive premature extrastimuli, 790
— — — in Langendorff perfused rabbit hearts, all or none effect of low potassium concentration, 463
— haemodynamics, extracardiac pressure, 230
— interdependence and transient response of left ventricle to inspiration, 407
— muscle, effects of inotropic interventions on end systolic length-force curve, cat, 559: correction, 782
— myocytes protected from proteolytic enzyme activity, oxidative metabolism, guinea pig, 481
— *see also* Left ventricular
Verapamil, effect on free calcium concentrations in myocytes, rat, 772
— effect on left ventricular relaxation, conscious dog, 55

CARDIOVASCULAR RESEARCH

EDITOR
P SLEIGHT

ASSISTANT EDITORS
D H BERGEL, T POWELL

H AARS
J O ARNDT
G C VAN DEN BOS
J D BRISTOW
N L BROWSE
S M COBBE
P H FENTEM
P FOËX
K FOX
T KENNER
W KÜBLER
G MANCIA
J R PARRATT
P PERONNEAU
P A POOLE-WILSON
R S RENEMAN
B ROBINSON
E M VAUGHAN WILLIAMS
D H WILLIAMSON
N WOOLF

EDITOR *British Heart Journal*
EDITOR *British Medical Journal*
TECHNICAL EDITOR SHUNA JUDGE

VOLUME 21, 1987

LONDON · BRITISH MEDICAL ASSOCIATION · TAVISTOCK SQUARE WC1H 9JR

CONTENTS

No 1 JANUARY 1987

Instructions to authors 1

An experimental model of chronic cardiac failure using adriamycin in the rabbit: central haemodynamics and regional blood flow: Richard B Wanless, Inderjit S Anand, Philip A Poole-Wilson, Peter Harris 7

Arterial uptake indices of low density lipoproteins after fatty streak formation in Cynomolgus monkeys: Santibrata Ghosh, Mark L Armstrong, Marjorie B Meagan, Frank H Cheng 14

Production of a factor by cultured human heart valves that is immunologically related to interleukin I Adriano M Henney, Robert S Decker 21

Preparation of human saphenous vein for coronary artery bypass grafting impairs its capacity to produce prostacyclin: Gianni D Angelini, Iain M Breckenridge, Joseph Psaila, Helen M Williams, Andrew H Henderson, Andrew C Newby . . . 28

Effect of lipid feeding on endothelium dependent relaxation in rabbit aortic preparations: S P Chappell, M J Lewis, A H Henderson 34

Cardiac alpha$_1$ and beta adrenoceptors in rabbits: effects of dietary sodium and cholesterol: Kazuhiko Tsuji, Seiji Tsutsumi, Kouichi Ogawa, Yutaka Miyazaki, Tatsuo Satake 39

Effect of autonomic nervous system modulation on retrograde atrioventricular nodal conduction in the human heart: Mohammad Ali Sadr-Ameli, Mohammad Shenasa, Pierre Lacombe, Gérard Faugère, Réginald Nadeau 45

Effects of verapamil, nifedipine, and dilazep on left ventricular relaxation in the conscious dog: Massimo Pagani, Paolo Pizzinelli, Raffaello Furlan, Stefano Guzzetti, Ornella Rimoldi, Giulia Sandrone 55

Myocardial and circulatory effects of inosine: Hans Martin Hoffmeister, Reinhard Betz, Heinrich Fiechtner, Ludger Seipel 65

Validation of beat by beat pulsed Doppler measurements of ascending aortic blood velocity in man: J A Innes, C J Mills, M I M Noble, K Murphy, S Pugh, A C Shore, A Guz 72

Notice 80

No 2 FEBRUARY 1987

Role of adenosine in mediating the coronary vasodilative response to acute hypoxia: Henry Gewirtz, Ray A Olsson, Albert S Most 81

Velocity of a Björk-Shiley valve prosthesis: influence of the disc orientation: D Farahifar, H Bodard, F Cassot, R Pelissier 90

Absence of coronary vascular reserve in myocardium distal to fixed coronary stenosis: Lloyd W Klein, Alan D Askenase, William S Weintraub, Makoto Akaishi, Richard J Mercier, Ricky M Schneider, Jai B Agarwal, Richard H Helfant . . 99

Effects of changes in afterload impedance on left ventricular ejection in isolated canine hearts: dissociation of end ejection from end systole: Osamu Nishioka, Yukio Maruyama, Kouchi Ashikawa, Shogen Isoyama, Shoichi Satoh, Hideyuki Suzuki, Jun Watanabe, Hajime Watanabe, Yoshio Shimzu, Eiji Ino-Oka, Tamotsu Takishima . 107

Thromboxane A_2 analogue induced coronary artery vasoconstriction in the rabbit: Yoshiki Yui, Keiji Sakaguchi, Takashi Susawa, Ryuichi Hattori, Yoshiki Takatsu, Natsuko Yui, Chuichi Kawai 119

Beta adrenergic blockade with propranolol and atenolol in the exercising dog: evidence for beta$_2$ adrenoceptors in the sinoatrial node: Daniel Freidman, Timothy I Musch, R Sanders Williams, George A Ordway 124

Tetraethylammonium induced coronary spasm in isolated perfused rabbit heart: a hypothesis for the mechanism of coronary spasm: Masateru Iwaki, Shigeki Mizobuchi, Yutaka Nakaya, Kazuhiro Kawano, Toshiharu Niki, Hiroyoshi Mori . 130

Effect of alveolar pressure on pulmonary artery pressure in chronically hypoxic rats: R Wach, C J Emery, D Bee, G R Barer 140

Autonomic modulation of aminophylline influence on the electrophysiological effects of adenosine and adenosine triphosphate in the canine heart: Bernard Belhassen, Reuben Ilia, Allan M Greenspan, Leonard N Horowitz 151

Notice — Peter Debye prize 1987 160

No 3 MARCH 1987

Biochemical investigation of possible lesions in human aorta that predispose to dissecting aneurysms: pyridinoline crosslinks: M Anne Whittle, Simon P Robins, Philip S Hasleton, John C Anderson 161

Rate of acetylcholine hydrolysis affects the phase dependency of cardiac responses to vagal stimulation: Robert J Henning, Yukitaka Masuda, Tianen Yang, Matthew N Levy 169

Collateral function modified by glyceryl trinitrate and dipyridamole during coronary occlusion in conscious dogs: Shozo Nabeyama, Hitonobu Tomoike, Katashi Hisano, Hiroaki Shimokawa, Takeshi Inoue, Hideo Yamamoto, Motoomi Nakamura 177

Salvage mechanisms for regeneration of adenosine triphosphate in rat cardiac myocytes: Jocelyn W Dow, Julia Bowditch, Shailja Nigdikar, Anne K Brown . 188

Inhibitory action of 711389-S on the electrical activity of rabbit sinoatrial node: Hiroshi Kotake, Ichiro Hisatome, Junichi Hasegawa, Junichi Yamasaki, Toshifumi Kosaka, Tomoyuki Furuse, Hiroto Mashiba 197

Myocardial enzyme activities in patients with mitral regurgitation or mitral stenosis: E Jansson, C Sylvén, A Henze, L Kaijser 202

Conducting pulmonary arteries: structural adaptation to extrauterine life in the pig: Susan M Hall, Sheila G Haworth 208

Exercise induced augmentation of cellular and humoral autoimmunity associated with increased cardiac dilatation in experimental autoimmune myocarditis: Jeffrey D Hosenpud, Stephen M Campbell, Nelson R Niles, Jane Lee, David Mendelson, Mark V Hart 217

Relation between ventricular DNA content and number of myocytes and non-myocytes in hearts of normotensive and spontaneously hypertensive rats: Arnoud van der Laarse, Cornelia H F Bloys van Treslong, Hubert W Vliegen, Lugio Ricciardi 223

Extracardiac pressure and ventricular haemodynamics: Joseph S Janicki, Karl T Weber, Joseph Loscalzo, Sanjeev Shroff 230

Statement concerning research fraud 240

No 4 APRIL 1987

Acute haemodynamic effect of taurine on hearts in vivo with normal and depressed myocardial function: Nobuhisa Awata, Junichi Azuma, Tomoyuki Hamaguchi, Yuya Tanaka, Hideyuki Ohta, Keiko Takihara, Hisato Harada, Akihiko Sawamura, Susumu Kishimoto 241

Mechanism of isoproterenol induced myocardial damage: Taizo Kondo, Yuuichi Ogawa, Satoru Sugiyama, Takayuki Ito, Tatsuo Satake, Takayuki Ozawa . . 248

Left atrial filling in normal human subjects: relation between left atrial contraction and left atrial early filling: Yoichi Toma, Yasuo Matsuda, Koshiro Moritani, Hiroshi Ogawa, Matsunori Matsuzaki, Reizo Kusukawa 255

Pulsed Doppler ultrasound compared with thermodilution for monitoring cardiac output responses to changing left ventricular function: Leszek M R Bojanowski, Adam D Timmis, Youssef C Najm, Raymond G Gosling 260

Lack of effect of prior training on subsequent ischaemic and infarcting myocardium and collateral development in dogs with normal hearts: Michael V Cohen, Richard M Steingart 269

Role of increased cholinergic activity in reperfusion induced ventricular arrhythmias: Nicola Ferrara, Domenico Bonaduce, Pasquale Abete, Dario Leosco, Giancarlo Longobardi, Vincenzo Canonico, Franco Rengo 279

Effect of frequent ventricular ectopy on myocardial infarct size in dogs: Stanley Nattel, Scott Beau, Gary McCarragher 286

Platelet induced aggravation of acute ischaemia in an isolated rabbit heart model: R Rösen, W Dausch, E Beck, W Klaus. 293

Comparison of the effect of beta adrenergic antagonists with different ancillary properties on isolated canine and human coronary arteries: Guy Berkenboom, Jeanine Fontaine, Jean-Marie Desmet, Serge Degre 299

Evaluation of aortic wall distensibility by aortic pressure-dimension relation: effects of nifedipine on aortic wall: Michihiro Kohno, Toshiaki Kumada, Masaharu Ozaki, Masunori Matsuzaki, Kazuhiro Katayama, Takashi Fujii, Toshiro Miura, Shinya Kohtoku, Sakon Yatabe, Masafumi Yano, Takafumi Hiro, Reizo Kusukawa . . 305

No 5 MAY 1987

On the possible role of long chain fatty acylcarnitine accumulation in producing functional and calcium permeability changes in membranes during myocardial ischaemia: Jos M J Lamers, Johanna T de Jonge-Stinis, Pieter D Verdouw, Willem C Hülsmann 313

Reduction of left ventricular mass in normal rats by captopril: Gregory L Freeman, William C Little, Joseph R Haywood 323

Dissociation between early recovery of regional function and purine nucleotide content in postischaemic myocardium in the conscious dog: Donald D Glower, John A Spratt, Joseph R Newton, J Alan Wolfe, J Scott Rankin, Judith L Swain . . 328

An extravascular hydraulic system to control blood pressure by a feedback regulation of the venous return: Dimitris A Sideris, Panayotis E Vardas, Dimitris N Chrysos, Savvas T Toumanidis, Lambros Michalis, Spyridon D Moulopoulos . 337

Model dependent behaviour of pressure hypertrophied myocardium: George Cooper IV, Robert J Tomanek 342

Morphometric quantification of myocyte dimensions validated in normal growing rat hearts and applied to hypertrophic human hearts: H W Vliegen, A van der Laarse, J A N Huysman, E C Wijnvoord, M Mentar, C J Cornelisse, F Eulderink . 352

Adenine nucleotide degradation in the human myocardium during cardioplegia: A Sollevi, W Schmidt, E Jansson, V Bomfim, L Kaijser 358

Cardiovascular response to orthostatic tilt in patients with severe congestive heart failure: Eli Kassis 362

Radionuclide angiographic study of the influence of dietary lipid supplements on cardiac function in the marmoset (*Callithrix jacchus*): John S Charnock, Peter L McLennan, Graeme H McIntosh, Leighton R Barnden, Ian H Buttfield . . 369

Evaluation of coronary collateral development by regional myocardial function and relative hyperaemia: Masatoshi Fujita, Daniel P McKown, Michael D McKown, Jesse W Hartley, Dean Franklin. 377

Effects of altering the interval between the stimulus and the reflex response in the analysis of the baroreceptor control of the sinus and atrioventricular nodes in man: Alberto U Ferrari, Anita Cavallazzi, Luisa Gregorini, Rodolfo Perondi, Anna Daffonchio, Giuseppe Mancia 385

No 6 JUNE 1987

Transient increase in release of adenosine during rapid cardiac pacing; transient effect on overdrive suppression of ventricular automaticity: Lois J Heller, Donald F DeWitt, Harvey V Sparks 391

Response to upright exercise after myocardial infarction: Maxine Hetherington, Koon K Teo, Robert G Haennel, Richard E Rossall, Tissa Kappagoda 399

Ventricular interdependence and the transient response of the left ventricle to inspiration: a model study: John N Amoore 407

Collateral blood flow after coronary occlusion: influence of barbiturate anaesthesia and thoracotomy: Jacques A Melin, Grover M Hutchins, Lewis C Becker . . 416

Can sinoaortic baroreceptor heart rate reflex sensitivity be determined from phase IV of the Valsalva manoeuvre? Stephen A Smith, Terence J Stallard, Mahmood M Salih, William A Littler 422

Sympathetically induced myocardial ischaemia causes the heart to release plasma kinin: Takayuki Matsuki, Tetsuro Shoji, Shigeo Yoshida. Yasuo Kudoh, Masaomi Motoe, Megumi Inoue, Tomoaki Nakata, Susumu Hosoda, Kazuaki Shimamoto, Derek Yellon, Osamu Iimura 428

Time dependent conversion of creatine kinase MM isoforms in man: Takahiko Kojima, Hidekazu Hashimoto, Hideto Tsukamoto, Takayuki Ito, Kouichi Ogawa, Tatsuo Satake 433

Centrally induced vasopressor responses to ouabain in DOCA-salt hypertensive rats: Hakuo Takahashi, Hideoki Okabayashi, Makoto Matsuzawa, Keisuke Suga, Iwao Ikegaki, Manabu Yoshimura, Hamao Ijichi 439

Local myocardial electrogram and potassium concentration changes in superficial and deep intramyocardium and their relations with early ischaemic ventricular arrhythmias: Hidezo Mori, Kenji Sakurai, Toshihisa Miyazaki, Satoshi Ogawa, Yoshiro Nakamura 447

Methodological aspects of the use of heart rate stratified RR interval histograms in the analysis of atrioventricular conduction during atrial fibrillation: Naisheng Cai, Michal Dohnal, S Bertil Olsson 455

Ventricular fibrillation thresholds in Langendorff perfused rabbit hearts: all or none effect of low potassium concentration: Michael MacConaill 463

Correspondence 469

No 7 JULY 1987

Possible catecholaminergic-opioidergic control of blood pressure during muscular contraction: Carole A Williams, Lewis S Blevins, Daniel J Paul 471

Oxidative metabolism in guinea pig ventricular myocytes protected from proteolytic enzyme activity: Leslie E Bailey, Helen Carlos, Arnie Amian, Karl E T Moon . 481

Measurement of isovolumic relaxation: comparison of echocardiographic mitral valve opening and Doppler mitral valve flow: L M Shapiro, B C Thwaites. . 489

Protection by superoxide dismutase and catalase in the isolated rat heart reperfused after prolonged cardioplegia: a combined study of metabolic, functional, and morphometric ultrastructural variables: Kirsti Ytrehus, Sigurd Gunnes, Reidar Myklebust, Ole D Mjøs 492

Protection from reperfusion injury in the isolated rat heart by postischaemic deferoxamine and oxypurinol administration: Stephen F Badylak, Abby Simmons, John Turek, Charles F Babbs 500

Differences in ischaemic dysfunction after gradual and abrupt coronary occlusion: effects on isovolumic relaxation: Ramona L Doyle, Pierre Foëx, W Allen Ryder, Lee A Jones 507

Effect of lack of noradrenaline on myocardial oxygen consumption in denervated dog hearts: Roger G Butcher, Angela J Drake-Holland, Richard B Wanless, Demetris E Papadoyannis, Mark I M Noble 515

Effects of carotid artery occlusion on the pressor response induced by sustained isometric contraction in the cat: David P Sparks, Daniel J Paul, Carole A Williams 521

Regional myocardial blood flow during cardiac tamponade in hearts with chronic coronary artery occlusion: Noriyasu Watanabe, Shuji Yonekura, H Fred Downey 530

Myocardial reperfusion in the pig heart model: infarct size and duration of coronary occlusion: David Garcia-Dorado, Pierre Théroux, Jaime Elizaga, Manuel Galiñanes, Julia Solares, Mariano Riesgo, Maria J Gomez, Aurora Garcia-Dorado, Francisco Fernandez Aviles 537

Enhanced vagal activity and normal arginine vasopressin response in carotid sinus syndrome: implications for a central abnormality in carotid sinus hypersensitivity: Rose Anne Kenny, Calum C Lyon, Ann M Ingram, J Bayliss, Stafford L Lightman, Richard Sutton 545

No 8 AUGUST 1987

Increased production of arachidonate metabolites in an occlusion-reperfusion model of canine myocardial infarction: Tsunehiko Kuzuya, Shiro Hoshida, Masashi Nishida, Yonjun Kim, Takenobu Kamada, Michihiko Tada 551

Effects of inotropic interventions on end systolic length-force curve of cat ventricular muscle: Brian R Jewell, Dorothy A Hanck 559

Unstimulated release of endothelium derived relaxing factor is independent of mitochondrial ATP generation: T M Griffith, D H Edwards, A H Henderson . 565

Effect of histamine on cardiac sarcolemmal calcium binding as indicated by use of ionic lanthanum: Scott A Barman, Mark D Olson, Jack T Saari 569

Histamine induced alteration of calcium binding to microvascular endothelium as indicated by use of ionic lanthanum: Scott A Barman, Mark D Olson, Jack T Saari 576

Blood flow velocity and systolic time intervals measured by pulsed Doppler ultrasound: reproducibiity of measurements: T Lang-Jensen 582

Protein and 28S ribosomal RNA fractional turnover rates in the rat heart after abdominal aortic stenosis: André Ray, Marie-Claude Aumont, Jean Aussedat, Josiane Bercovici, André Rossi, Bernard Swynghedauw 587

Effect of a new phosphodiesterase type III inhibitor as a coronary vasodilator and positive inotropic agent: Andreas Hartmann, Maythem Saeed, Gabor Sütsch, Richard J Bing 593

Calcium uptake by cardiac sarcoplasmic reticulum in human dilated cardiomyopathy: Constantinos J Limas, Maria-Teresa Olivari, Irvin F Goldenberg, T Barry Levine, David G Benditt, Ada Simon 601

Diltiazem prevents hypertrophy progression, preserves systolic function, and normalises myocardial oxygen utilisation in the spontaneously hypertensive rat: Julio F Tubau, Joan Wikman-Coffelt, Barry M Massie, Jadwiga Szlachcic, William W Parmley, Richard Sievers, Steven Henderson 606

Clinical and research implications of new concepts in the assessment of cardiac pumping performance in heart failure: L B Tan 615

No 9 SEPTEMBER 1987

Editorial: assessment of myocardial contractility in man: D J Sheridan. . . 623

An analytical method to separate inotropic and vasodilatory drug effects in patients with heart failure: L B Tan, R G Murray, W A Littler 625

Problem of measuring the positive inotropic property of a vasodilating drug: an illustration using felodipine: Angela J Drake-Holland, Sarah Pugh, Mark I M Noble, Christopher Mills 631

Investigation of the parallel conductor model of impedance cardiography by means of exchange transfusion with stroma free haemoglobin solution in the dog: Klaas R Visser, Robert Lamberts, Willem G Zijlstra 637

Validation of local venous sampling within the at risk left anterior descending artery vascular bed in the canine left ventricle: J Vinten-Johansen, William E Johnston, George J Crystal, Stephen A Mills, William P Santamore, A Robert Coıdell . . 646

Quantitative and temporal relation between the release of myoglobin and creatine kinase and the evolution of vectorcardiographic changes during acute myocardial infarction in man: Per Grøttum, Magnus Sederholm, John K Kjekshus. . . 652

Evaluation of the effect of metoprolol on energy metabolism in the ischaemic myocardium in relation to regional myocardial blood flow: Michio Nanki, Ken-Ichi Itoh, Tatsuaki Matsubara, Kinya Nishimura, Tadashi Kambe, Satoru Sugiyama, Takayuki Ozawa, Nobuo Sakamoto 660

Effect of early coronary artery reperfusion on infarct development in a model of low collateral flow: Sharon L Hale, Robert A Kloner 668

Early damage of vascular endothelium during cardiac ischaemia: Willem Hülsmann, Marie-Louise Dubelaar 674

Non-invasive assessment of the age related changes in stiffness of major branches of the human arteries: Takeshi Kawasaki, Shigetake Sasayama, Shin-Ichi Yagi, Tetsuya Asakawa, Tadakazu Hirai 678

Effects of chronic myocardial infarction on responsiveness to isoprenaline and the state of myocardial beta adrenoceptors in rats: Jean-Paul Clozel, Mark Holck, Wolfgang Osterrieder, Willy Burkard, Mosé da Prada 688

Monophasic action potentials in patients with coronary artery disease: reproducibility and electrical restitution and conduction at different stimulation rates: Knut Endresen, Jan P Amlie, Kolbjørn Forfang, Svein Simonsen, Øystein Jensen . . 696

Correction 702

No 10 OCTOBER 1987

Post-systolic shortening: a marker of potential for early recovery of acutely ischaemic myocardium in the dog: Michael A Brown, Robin M Norris, Morimasa Takayama, Harvey D White 703

Time dependent impairment of vagally mediated inhibition of noradrenaline release in the dog heart: Yasuyuki Furukawa, Yasuhiro Ogiwara, Kimiaki Saegusa, Masayoshi Takeda, Hitomi Tsubota, Akihiro Tada, Hiroshi Zenda, Shigetoshi Chiba 717

Improved myocardial capillarisation in spontaneously hypertensive rats treated with nifedipine: Zdenek Turek, Karel Kubat, Stanislav Kazda, Louis Hoofd, Karel Rakusan 725

Ischaemia induced development of functional coronary collateral circulation in ponies: Karla S Rugh, Harold E Garner, Daniel G Hatfield, Joe R Miramonti . 730

Species variation in the coronary collateral circulation during regional myocardial ischaemia: a critical determinant of the rate of evolution and extent of myocardial infarction: Miles P Maxwell, David J Hearse, Derek M Yellon 737

Is there a component of coronary collateral flow which cannot be detected by radiolabelled microspheres? Miles P Maxwell, David J Hearse, Derek M Yellon . 747

Lipoxygenase inhibitor nafazatrom fails to attenuate postischaemic ventricular dysfunction: Padraig G O'Neill, Martin L Charlat, Han-Seob Kim, Jennifer Pocius, Lloyd H Michael, Craig J Hartley, Wei-Zhu, Robert Roberts, Roberto Bolli . . 755

Crystallochemical characteristics of the inorganic phase of human calcific aortic valvar stenosis: Dennis W Foreman, Phillip K Fulkerson 761

Effects of nifedipine on coronary reactive and exercise induced hyperaemia: Robert J Bache, Deborah Quanbeck, David C Homans, Xue-Zheng Dai 766

Effects of verapamil, dibutyryl cyclic AMP, and extracellular calcium on intracellular free calcium concentrations in myocytes isolated from rat ventricles: Amanda M Auld, James Aspinall, Gregory J Barritt 772

Splenic blood flow measurements by Doppler ultrasound: a preliminary report: Arumugam Manoharan, Robert W Gill, Kaye A Griffiths 779

Correction — Jewell and Hanck 782

No 11 NOVEMBER 1987

Electrophysiological effects of some antidepressant drugs on canine cardiac Purkinje fibres: Antoine Bril, Luc Rochette, Jean Philippe Bertrand, Patrick Gautier 783

Decline in ventricular fibrillation threshold after successive premature extrastimuli: a possible explanation for the induction of ventricular fibrillation during programmed stimulation with multiple extrastimuli: Eli S Gang, Thomas Peter, Hrayr S Karagueuzian, William J Mandel, Malte Meesmann. 790

Microvascular reactivity of the myopathic Syrian hamster cremaster muscle: Robert S Conway, Stephen M Factor, Edmund H Sonnenblick, Silvio Baez . . . 796

Effect of acetylcholine on aconitine induced delayed afterdepolarisation in the frog atrium and ventricle: Tohru Sawanobori, Yuji Hirano, Masayasu Hiraoka . . 804

Bacterial tissue tropism: an in vivo model for infective endocarditis: Richard C Becker, Patricia M DiBello, Frederick V Lucas 813

Metabolic modulation of cardiac neurosympathetic activity in vivo: effects of potassium and adenosine: J C Forfar, R A Riemersma 821

Non-invasive measurement of renal blood flow with ^{99m}Tc DTPA: comparison with radiolabelled microspheres: A M Peters, J Brown, G G Hartnell, M J Myers, C Haskell, J P Lavender 830

Radionuclide assessment of diastolic function in aortic regurgitation: a critical study of its measurement: O J M Ormerod, R W Barber, D L Stone, E P Wraight . 835

In vitro identification of different degrees of mitral valve disease by online evaluation of radiofrequency ultrasound signal: Fabio Lattanzi, Eugenio Picano, Alessandro Mazzarisi, Carlo Aratari, Gualtiero Pelosi, Andrea Pozzolini, Leonardo Salvatore, Luigi Landini, Alessandro Distante, Antonio L'Abbate 841

Exercise reduces persistent ductus arteriosus shunting in piglets: David Seaberg, Elizabeth Lorenz, Gunnar Lund, Joseph Rysavy, Mary Ella Pierpoint, Shu-Lun Zhang, Stanley Einzig 847

Relation of lactate production to postischaemic reduction in function and myocardial oxygen consumption after partial coronary occlusion in swine: Edward O McFalls, George A Pantely, Ton O Ophuis, Cheryl G Anselone, J David Bristow . 856

Correction — Visser *et al* 862

No 12 DECEMBER 1987

Continuous control of the lumen of feline conduit arteries by blood flow rate: Arthur M Melkumyants, Sergey A Balashov, Elena S Veselova, Vladimir M Khayutin . 863

Subacute and long term effect of swimming training on blood pressure in young and old spontaneously hypertensive rats: Kenji Noma, Heinz Rupp, Ruthard Jacob . 871

Effect of heparin and contrast medium on platelet function during routine cardiac catheterisation: R A Greenbaum, M A Barradas, D P Mikhailidis, J Y Jeremy, T R Evans, P Dandona 878

Potassium efflux from the myocardium during hypoxia: role of lactate ions: Tom Crake, Mark S Kirby, Philip A Poole-Wilson 886

Myocardial potassium uptake and catecholamine release during cardiac sympathetic nerve stimulation: Øyvind Ellingsen, Øystein A Vengen, Sverre E Kjeldsen, Ivar Eide, Arnfinn Ilebekk 892

Nature and pressure dependence of damage induced by distension of human saphenous vein coronary artery bypass grafts: Gianni D Angelini, Stefano L Passani, Iain M Breckenridge, Andrew C Newby 902

Changes in monophasic action potential duration during the first hour of regional myocardial ischaemia in the anaesthetised pig: S G Dilly, Max J Lab . . 908

Ability of the electrocardiogram to detect myocardial lesions in isoproterenol induced rat cardiomyopathy: Reinaldo B Bestetti, Carmen P Ramos, J Figuerêdo-Silva, Vicente N Sales-Neto, J Samuel M Oliveira 916

Functional evaluation of sympathetic and parasympathetic systems in Chagas' disease using dynamic exercise: Lourenço Gallo Jr, José Morelo Filho, Benedito C Maciel, José A Marin Neto, Luiz E Barreto Martins, Euclydes C Lima Filho. . 922

Effects of dietary fish oil on lung phospholipid fatty acid composition and intrinsic pulmonary vascular reactivity: Stephen Archer, Daniel Nelson, Roger Gebhard, Allen S Levine, William Prigge, E Kenneth Weir 928

Index. 933